



-  mktg@rubberkingtyres.com
-  rubberkingtyres.com
-  +91 75675 60814

OTR • FARM • INDUSTRIAL
TRUSTED PARTNER FOR BETTER TOMORROW[®]

MAKE IN INDIA



RESILIENT INDUSTRIAL
SOLID TYRES



ABOUT RUBBER KING



We are a technology-driven **Tyre Company** supplying Butyl Inner Tubes, Industrial Solid Tyres, Automotive Flaps, Curing Bladders and Curing Air Bags to many of the leading automotive companies, both domestic and overseas.

With more than four decades of experience in manufacturing automotive rubber products, our customer centric, innovative approaches have made us a supplier of choice for many.

Rubber King is the flagship enterprise of the Gawarvala family, a family for whom quality means everything.

We are proud to have world-wide presence with a clientele spread across more than seventy countries. We are humbled by the trust and faith bestowed upon us by our clients across the globe. It motivates us to facing the challenges in meeting the needs of our esteemed customers.

ENGINEERED FOR SUCCESS™



VISION

The goal is to establish ourselves as the top supplier and a renowned global brand, with a well-rounded global footprint spanning over worldwide. We will make the world better for future generation by providing innovative and sustainable products and services.



MISSION

Always listening to our customer and building a lasting relationship with them to help us offer excellent standards of service and satisfaction, through innovation, quality & commitment.



MANUFACTURING EXCELLENCE

Our range of products are manufactured in four high-tech manufacturing facilities located around Ahmedabad, Gujarat. Our manufacturing, design and development processes are internationally accredited,

and our good works have won us several awards and recognitions, worldwide. Our success in industrial solid tyres has made us gradually get into manufacturing of tyres.



RESILIENT SOLID TYRES





Solid Tyres - Solid Performance!

The solid tyres are designed to suit a variety of applications, both indoor and outdoor, on varied surface conditions, from smooth concrete to rough floors. The non-marking tyres are suitable for applications in food, pharma, electronics and such other spaces where floor care is essential.

Designed to meet the wide-ranging material handling needs of various industries. Manufactured at state-of-the-art facilities with high quality raw materials, perfect compounding techniques and use of advanced building technology.



STRIKING FEATURES

-  Rolled-down corner for steering comfort
-  Wide profile and flat footprint for a solid grip
-  Excellent traction with least vibration
-  Offers customized compounds for customer specific applications

3 LAYER TECHNOLOGY

- » Low Cost per hour
- » Extended Tyre Life
- » Higher Driving Comfort
- » Enhanced Vehicle Stability
- » Optimum Energy Consumption





SOLID ATTRIBUTES



SAFETY LINE mentioned on 60J rib which helps to plan tyre change without down time

Large contact area for least vibration & great stability

Rim guard available to protect rim flange

Copper coated steel bead wire for firm fitment on rim & to avoid slippage during service

Cushion compound available for a smooth ride & to cut short forklift maintenance costs

Available in:



- >> Standard Black
- >> Quick Heel Black
- >> Standard Non-Marking
- >> Quick Heel Non-Marking

We offer a wide range of specialty compounds for your specific needs

Major Equipment:

Forklifts, warehouse equipment, port trailers, ground support equipment, terminal trailer, terminal tractor, tow tractor, highway divider-making machine, industrial floor-cleaning machine, vertical mast and other material handling equipment.

Key Applications:

Manufacturing, warehouse, airports, food, pharmaceuticals, seaports and harbours.

Dunamis

SOL||TREK



-  Anti Abrasive and Anti Skid
-  Cut Growth Resistant
-  Oil Resistant
-  Heat Resistant



Warehouse



Beverage



Sea Port



Air Port



Scrapyard



Foundry



Furnace



Smelter



Paper Plant



Steel Plant



Oil Warehouse



Chemical Plant

Comfort 

Comfort 


Working Hrs/day  up to **22 hrs/day** usage

Working Hrs/day  up to **22 hrs/day** usage

Usage Intensity  **Heavy**

Usage Intensity  **Heavy**

Tyre Life 

Tyre Life 

Puncture Resistant 

Puncture Resistant 

SOLIDWINGS

ROCKSOLID



-  Anti Abrasive and Anti Skid
-  Cut Growth Resistant
-  Oil Resistant
-  Heat Resistant



Warehouse



Beverage



Sea Port



Air Port



Scrapyard



Foundry



Furnace



Smelter



Paper Plant



Steel Plant



Oil Warehouse



Chemical Plant



Paper Plant

Comfort 

Comfort 

Working Hrs/day  up to 20 hrs/day usage

Working Hrs/day  up to 16 hrs/day usage

Usage Intensity  Medium

Usage Intensity  Medium

Tyre Life 

Tyre Life 

Puncture Resistant 

Puncture Resistant 

FOREMAN



Warehouse



Beverage



Sea Port



Air Port



Scrapyard



Foundry



Furnace



Smelter



Paper Plant



Steel Plant



Oil Warehouse



Chemical Plant



Paper Plant

Comfort 

Usage Intensity  Low

Working Hrs/day up to **12 hrs/day** usage 

Tyre Life 

 Excellent Stability

 Medium Fuel Consumption

SOL||TREK

(NON-MARKING TYRE)

SOLIDWINGS

(NON-MARKING TYRE)



Available in



Comfort

Comfort

Working Hrs/day up to 22 hrs/day usage

Working Hrs/day up to 20 hrs/day usage

Usage Intensity Heavy

Usage Intensity Medium

Tyre Life

Tyre Life

Puncture Resistant

Puncture Resistant

ELECTRIC FORKLIFT TYRES



ELECTRIC FORKLIFT TYRES

Maximize the performance and safety of your forklifts with our high-quality, meticulously maintained solid tyres. Our Press-On-Band tyres are ideal for electric forklifts, expertly navigating diverse surfaces such as warehouses, scrap yards, epoxy-coated floors, and furnace areas. We offer a comprehensive range of tyres, including non-marking options for specialized industries like food and pharmaceuticals, ensuring your specific needs are met with precision.

RUBBERKING PRESS ON BAND TYRES

NUBAN

SCOTTSDALE

FUSIONEX



-  Anti Abrasive and Anti Skid
-  Cut Growth Resistant
-  Oil Resistant
-  Heat Resistant
-  Anti Static



Working Hrs/day up to 22 hrs/day usage



Working Hrs/day up to 16 hrs/day usage



Working Hrs/day up to 12 hrs/day usage



Puncture Resistant



Puncture Resistant



Puncture Resistant



Usage Intensity  Heavy

Usage Intensity  Medium

Usage Intensity  Low

Tyre Life



Tyre Life



Tyre Life



 Low Fuel Consumption

 Medium Fuel Consumption

 Medium Fuel Consumption

NON MARKING PRESS ON BAND TYRES

NUBIAN

SCOTSDALE



Anti Static



Electronics



Pharma



Beverage



Automobile



Labs



Aerospace



Optical



NUBIAN
22 Hours / Day Usage

SCOTSDALE
16 Hours / Day Usage

FUSIONEX
12 Hours / Day Usage

NUBIAN
High Application intensity

SCOTSDALE
Medium Application intensity

FUSIONEX
Light Duty Application intensity

SL NO.	SIZE	TYRE DIMENSION		UP TO 25 KM/H		NUBIAN	SCOTSDALE	FUSIONEX
		OVERALL DIAMETER (mm)	SECTION WIDTH	LOAD WHEEL	STEERING WHEEL			
1	18x6x12 1/8	457	152	1525	1250	✓	✓	✓
2	21x7x15	533	178	2085	1710	✓	✓	✓
3	21x8x15	533	203	2455	2015	✓	✓	✓
4	22X6X16	558	152	1770	1450	✓	✓	✓
5	27X7X20	686	178	✓	✓	✓	✓	✓
6	17X5X12 1/8	432	127	1145	935	✓	✓	✓

SCISSOR LIFT TYRES



SCISSOR LIFT TYRES

Scissor lifts are popular mobile platforms utilized across different industries such as construction, industrial, warehouses, and event venues. They serve as stable work platforms for tasks at elevated heights. The safety and efficiency of scissor lifts rely significantly on key components, with scissor lift tyres being crucial among them. These specialized tyres are engineered to meet the specific demands, guaranteeing smooth, safe, and efficient lift operations. Rubber King solid tyres for scissor lifts are highly durable, capable of supporting the significant weight of the lifts and their loads effectively. They are ideal for tough environments and frequent use.

SCISSOR LIFT TYRES

Skybridge

FUSIONEX



Anti Abrasive and Anti Skid




Cut Growth Resistant




Heat Resistant

Working Hrs/day up to 16 hrs/day usage



Working Hrs/day up to 12 hrs/day usage



Puncture Resistant



Puncture Resistant



Usage Intensity



Medium

Usage Intensity



Low

Tyre Life



Tyre Life



SCISSOR LIFT TYRES



- » Optimized tread block angle for better traction.
- » Optimum tread volume
- » No cut growth even on extreme outdoor application.
- » Large & flat foot print offers greater stability.



SKYBRIDGE
3 Layer Construction
16 Hours / Day Usage

SKYBRIDGE
Medium
Application Intensity

FUSIONEX
2 Layer Construction
12 Hours / Day Usage

FUSIONEX
Light Duty
Application Intensity

SL. NO.	SIZE	TYRE DIMENSION			
		OVERALL DIAMETER (mm)	SECTION WIDTH	Skybr dge	FUSIONEX
1	10x3	255	79	✓	✓
2	12x4.5	306	118	✓	✓
3	12.5x4.25	317	108	✓	✓
4	15x5(rim dia 320 mm)	381	129	✓	✓
5	15x5(rim dia 318 mm)	381	129	✓	✓
6	12x4	304	100	✓	✓

BOOMLIFT TYRES



BOOM LIFT TYRES

Rubber King Solid Boom Lift tyres offer superior traction, stability, and longevity. With an extra-deep tread, these tyres enhance stability compared to pneumatic and foam-filled telehandler tyres. Their consistent compression under load increases control and stability, even at extended reaches. The low-profile design improves the center of gravity, while the unique aperture design ensures a comfortable ride, making them ideal for demanding tasks.

BOOMLIFT TYRES

Dunamis

NUBIAN

Skybridge



-  Anti Abrasive and Anti Skid
-  Cut Growth Resistant
-  Heat Resistant



Working Hrs/day up to **22 hrs/day** usage



Working Hrs/day up to **20 hrs/day** usage



Working Hrs/day up to **16 hrs/day** usage



Puncture Resistant 

Puncture Resistant 

Puncture Resistant 

Usage Intensity  **Heavy**

Usage Intensity  **Heavy**

Usage Intensity  **Medium**

Tyre Life 

Tyre Life 


Tyre Life 

BOOMLIFT TYRES WITH APERTURES



Rubber King's Industry first unique aperture design offers better riding comfort at demanding outdoor applications and also reduces vehicle maintenance cost due to the cushioning effect due to apertures.

INDIA'S FIRST BOOM LIFT SOLID TYRES



DUNAMIS
3 Layer Construction
22 Hours / Day Usage

DUNAMIS
High
Application Intensity

NUBIAN
3 Layer Construction
20 Hours / Day Usage

NUBIAN
High
Application Intensity

SKYBRIDGE
3 Layer Construction
16 Hours / Day Usage

SKYBRIDGE
Medium
Application Intensity

SL NO.	SIZE	TYRE DIMENSION			Dunamis	NUBIAN	Skybridge
		OVERALL DIAMETER (mm)	SECTION WIDTH				
1	36x14-20	913	349	✓	✓	✓	

ELECTRIC PLATFORM TRUCK TYRES



ELECTRIC PLATFORM TRUCK TYRES

Designed for transporting irregular, non-palletized loads, our solid rubber tyres for electric platform trucks provide high ground clearance and exceptional durability. Suitable for both indoor and outdoor use, Rubber King tyres ensure a smooth ride with their cushion compound. We offer tailored solutions for all manufacturers in this category, guaranteeing long-lasting performance and reliability.

ELECTRIC PLATFORM TRUCK TYRES

SOLIDWINGS

FOREMAN



-  Anti Abrasive and Anti Skid
-  Cut Growth Resistant
-  Heat Resistant



Construction



Warehouse



Automobile



ELECTRIC PLATFORM TRUCK TYRES



- › Best directional stability due to advanced pattern.
- › Can perform at extremely coolest condition as well due to natural rubber enriched compound.
- › Load per unit area of tread is less hence increased tyre life.



Construction



Warehouse



Automobile

1000 Hrs
FOREMAN



2400 Hrs
SOLIDWINGS



SOLIDWINGS
3 Layer Construction
20 Hours / Day Usage



SOLIDWINGS
Medium
Application Intensity



FOREMAN
2 Layer Construction
12 Hours / Day Usage



FOREMAN
Light Duty
Application Intensity

SL NO.	SIZE	TYRE DIMENSION		SOLIDWINGS	FOREMAN
		OVERALL DIAMETER (mm)	SECTION WIDTH		
1	535x127	533	125	✓	✓
2	535x150	533	145	✓	✓

SKID STEER TYRES



SKID STEER TYRES

Rubber King skid steer tyres are built to endure the intense stress of high ground friction typical in skid steers. Our deep tread pattern ensures maximum lifespan, while the unique aperture design enhances functionality and provides a damping effect. These meticulously engineered tyres cater to the rigorous demands of various skid steer applications, delivering unmatched durability and performance.

SKID STEER TYRES

Dunamis

NUBIAN

SCOTTSDALE



- Anti Abrasive and Anti Skid
- Cut Growth Resistant
- Heat Resistant



Working Hrs/day up to **22 hrs/day** usage

Working Hrs/day up to **20 hrs/day** usage

Working Hrs/day up to **16 hrs/day** usage

Puncture Resistant

Puncture Resistant

Puncture Resistant

Usage Intensity **Heavy**

Usage Intensity **Heavy**

Usage Intensity **Medium**

Tyre Life

Tyre Life

Tyre Life

Low Fuel Consumption

Low Fuel Consumption

Medium Fuel Consumption

SKID STEER TYRES WITH APERTURES



Rubber King's Industry first unique aperture design offers better riding comfort at demanding outdoor applications and also reduces vehicle maintenance cost due to the cushioning effect due to apertures.



DUNAMIS
3 Layer Construction
22 Hours / Day Usage

NUBIAN
3 Layer Construction
20 Hours / Day Usage

SCOTTSDALE
3 Layer Construction
18 Hours / Day Usage

DUNAMIS
High Application Intensity

NUBIAN
High Application Intensity

SCOTTSDALE
Medium Application Intensity

SL NO	SIZE	RIM SIZE	TYRE DIMENSION		UP TO 25 KM/H		Dunamis	NUBIAN	SCOTTSDALE
			OVERALL DIAMETER(mm)	SECTION WIDTH	LOAD WHEEL	STEERING WHEEL			
1	31x10-20	7.50-20	780	236	4030	3100	✓	✓	✓
2	33x12-20	7.50-20	832	285	5200	4000	✓	✓	✓
3	7.50-16	5.50-16	780	202	3965	3050	✓	✓	✓
4	8.25-16	6.00-16	780	202	4960	4010	✓	✓	✓

SEA PORT TRAILER TYRES



SEA PORT TRAILER TYRES

The port terminal trailer is crucial for streamlining cargo movement, significantly impacting the operational efficiency of the port.

RUBBER KING offers specialized tires designed for Bomb Carts, Flat Deck Trailers, and RO-RO trailers, tailored to address essential operational requirements including frequent loading, ongoing operations, safety, stability, maintenance, energy efficiency, and environmental sustainability.

This comprehensive solution ensures cost-effectiveness and enhances operational effectiveness.

The heavy-duty compound in these tires offers benefits such as durability and decreased operating costs, assisting in the swift transfer of containers within the port and enhancing overall operational productivity.

SEA PORT TRAILER TYRES

Dunamis

SOLITREK

SOLIDWINGS



Comfort

Comfort

Comfort

Working Hrs/day up to 22 hrs/day usage

Working Hrs/day up to 22 hrs/day usage

Working Hrs/day up to 20 hrs/day usage

Usage Intensity Heavy

Usage Intensity Heavy

Usage Intensity Medium

Tyre Life

Tyre Life

Tyre Life

Puncture Resistant

Puncture Resistant

Puncture Resistant

SEA PORT TRAILER TYRES

ROCKSOLID



FOREMAN



 Anti Abrasive and Anti Skid

 Cut Growth Resistant

 Heat Resistant



Comfort 

Comfort 

Working Hrs/day up to **16 hrs/day** usage 

Working Hrs/day up to **12 hrs/day** usage 

Usage Intensity  **Medium**

Usage Intensity  **Low**

Tyre Life 

Tyre Life 

Puncture Resistant 

Puncture Resistant 

SEA PORT TRAILER TYRES



- » Increased tyre life due to smooth pattern.
- » Natural Rubber based compound avoids cut growth on tyre
- » Customized compound provides cooler running.
- » Higher overall diameter provides more tyre life.



DUNAMIS
3 Layer Construction
22 Hours / Day Usage

DUNAMIS
High Application intensity

SOLITREK
3 Layer Construction
22 Hours / Day Usage

SOLITREK
High Application intensity

SOLIDWINGS
3 Layer Construction
20 Hours / Day Usage

SOLIDWINGS
Medium Application intensity

ROCKSOLID
3 Layer Construction
18 Hours / Day Usage

ROCKSOLID
Medium Application intensity

FOREMAN
2 Layer Construction
12 Hours / Day Usage

FOREMAN
Light Duty Application intensity

SL NO	SIZE	RIM SIZE	TYRE DIMENSION		UP TO 25 KM/H		Dunamis	SOLITREK	SOLIDWINGS	ROCKSOLID	FOREMAN
			OVERALL DIAMETER (mm)	SECTION WIDTH	LOAD WHEEL	STEERING WHEEL					
1	10.00-20	7.50-20/8.00-20	1035	255	6000	5000	✓	✓	✓	✓	✓

MINING TRUCK TYRES



MINING TRUCK TYRES

Rubber King solid tyres for coal mining trucks are a revolutionary solution for the industry. Eliminating concerns about sudden punctures, these tyres feature an innovative tread design that guarantees superior maneuverability. As a cost-effective alternative to pneumatic tyres, it provides lower cost per hour. As India's first manufacturer to offer solid tyres for surface mining applications, Rubber King sets the standard for reliability and efficiency in challenging mining environments.

MINING TRUCK TYRES

Dunamis

SOLITREK

SOLIDWINGS



-  Anti Abrasive and Anti Skid
-  Cut Growth Resistant
-  Heat Resistant



Working Hrs/day up to 22 hrs/day usage

Working Hrs/day up to 22 hrs/day usage

Working Hrs/day up to 20 hrs/day usage

Puncture Resistant

Puncture Resistant

Puncture Resistant

Usage Intensity  Heavy

Usage Intensity  Heavy

Usage Intensity  Medium

Tyre Life

Tyre Life

Tyre Life

MINING TRUCK TYRES

ROCKSOLID



FOREMAN



 Anti Abrasive and Anti Skid

 Cut Growth Resistant

 Heat Resistant



Working Hrs/day up to 16 hrs/day usage

Working Hrs/day up to 12 hrs/day usage

Puncture Resistant

Puncture Resistant

Usage Intensity  Medium

Usage Intensity  Low

Tyre Life

Tyre Life

MINING TRUCK TYRES



- » Cooler running
- » No cut growth
- » Best dimensional stability
- » Optimum tread volume
- » Wider tread for higher contact patch & gripping.



DUNAMIS
3 Layer Construction
22 Hours / Day Usage

DUNAMIS
High Application intensity

SOLITREK
3 Layer Construction
22 Hours / Day Usage

SOLITREK
High Application intensity

SOLIDWINGS
3 Layer Construction
20 Hours / Day Usage

SOLIDWINGS
Medium Application intensity

ROCKSOLID
3 Layer Construction
16 Hours / Day Usage

ROCKSOLID
Medium Application intensity

FORMAN
2 Layer Construction
12 Hours / Day Usage

FORMAN
Light Duty Application intensity

SL NO.	SIZE	TYRE DIMENSION			DUNAMIS	SOLITREK	SOLIDWINGS	ROCKSOLID	FORMAN
		Rim Size	OVERALL DIAMETER (mm)	SECTION WIDTH					
1	10.00-20	7.50-20/8.00-20	1035	285	✓	✓	✓	✓	✓
2	11.00-20	7.50-20/8.00-20	1050	260	✓	✓	✓	✓	✓
3	12.00-20	7.50-20/8.00-20/8.50-20/10.00-20	1102	295	✓	✓	✓	✓	✓

WHY RUBBER KING ?

Higher Tread Depth which increases Tyre Life

Can be fitted on pneumatic tyre rims.

Three times higher life compared to Pneumatic tyres.

Maximum profit by completely utilizing the usable tread. All Rubber King tyres are equipped with SAFETY LINE engraving.

Dedicated Team to provide unparalleled pre sale/post sale experience.

Super Fast delivery from our strategically located warehouses across the country

Rubber King Solid tyres are well packed & properly identified before dispatch to make sure easy managing at your warehouse/shop.

Customized products based on our rich industry expertise

100% Tyres going through stringent quality checks at factory before reaching to you

PAN India Free Delivery

Quality Warranty. The highest by an Indian solid tyre manufacturer.

Periodic tyre inspection at sites & product awareness training.

LOWEST COST PER HOUR

At **RUBBER KING** We believe in offering lowest cost per hour products to our esteemed customers across the globe.


$$\text{Cost per hour} = \frac{\text{Price of the product}}{\text{Tyre Life in hours}}$$

Lowest cost per hour



Maximum Profit

RESILIENT INDUSTRIAL
SOLID TYRES
FITMENT PRESS & FIXTURES





FITMENT FIXTURES FOR SOLID RESILIENTS TYRES



Rim seating cone



Pressing Cage

SPECIFICATIONS

PARAMETERS	80T	80T	150T	250T
Capacity of cylinder	80	80	150	250MT
Platen size(mm)	850	1100	1100	1950
Day light(mm)	650	650	900	1725
Stroke Length(mm)	500	500	600	1100
Hydraulic pressure(bar)	200	200	250	200
Electric Motor(Hp)	5	5	5	5
Operation	Hand lever	Hand lever	Hand lever	Hand lever
Oil tank capacity (Ltr)	100	100	100	250
Length/Height/width(mm)	1300/1200/500	1700/2000/600	1950/2800/600	5898/2393/2352
Top & Bottom plate(mm)	850	1110	1110	1950
Weight of press(Tonne)	3.5	3.5	4	10.5
Power supply	3 Phase	3 Phase	3 Phase	3 Phase
Suitable for	Solid resilient tyres up to 15" rim diameter	Solid resilient tyres up to 20" rim diameter	POB tyres	23.5-25, 26.5-25, 29.5-25 etc

TUBE

We manufacture excellent quality inner tubes for automotive tyres using high quality raw material following accepted international manufacturing standards. We are market leaders with a wide range of products of unmatched quality and customer service. Our tubes are known for retaining air pressure even under adverse conditions, with high durability and resistance to oxygen, ozone and heat conditions. We offer Butyl, Chloro-butyl, and Chloro-blend tubes with least growth and high elasticity, even at adverse load and temperature conditions. They do not stick to the tyre casing during service. We also offer customized products on specific requirements.



FLAP

RUBBER KING tyre flaps are designed to protect inner tube from direct contact with metal rim even at severe service condition. It guarantees longer work life to inner tubes and tyres. We offer a wide range of sizes with the option of metallic/nylon protectors.



BLADDER

RUBBER KING tyre curing bladders are a preferred choice for major Tyre manufacturers for their green tyre curing process. We have a vast range of curing bladders suitable for a range of tyre sizes, both radial and bias construction. Our curing bladders offer the best "heats" in the industry.





THE RUBBER KING ADVANTAGE



FREE Delivery Pan India



Quality Warranty



Faster Claim Process



Free AMC

Certifications*



Export House | BIS | ISO | ISO TS | ISO 14001

*For details visit www.rubberkingtyres.com/technology-pioneers/#certifications

Awards



CAPEXIL: 2010-2011 | 2009-2010 | 2008-2009 | 2006-2007

43 Years of Experience

4 Manufacturing Units

40K Satisfied Clients in

90+ Countries

RUBBER KING, has consistently demonstrated an exceptional commitment to delivering top-notch products. Empowered by cutting-edge technology, they have consistently raised the bar in terms of quality. Their unwavering belief in the importance of reliability has been the cornerstone of their success. For Rubber King, reliability is not just a goal; it is the very essence of their business philosophy.

RELIABILITY MEANS EVERYTHING

RUBBER KING [®]
RELIABILITY MEANS EVERYTHING!



PROUDLY INDIAN TRULY INTERNATIONAL[®]



Rubber King Tyre Private Limited

104, Naindhara Apartment, Sarkhej - Gandhinagar Hwy,
Near GNFC Info Tower, Bodakdev, Ahmedabad, Gujarat 380054

 mktg@rubberkingtyres.com

 rubberkingtyres.com

 +91 75675 60814